

CCDC99 blocking peptide

Blocking peptide binds specifically to the target antibody and block undesirable antibody binding. This occurs because the peptide resembles the epitope for which the antibody is specific, therefore, the antibody binds to the blocking peptide are no longer able to bind to the epitope in the protein.

Pre-adsorption with blocking peptide greatly improves the results and it is extremely useful in immunohistochemistry (IHC) or in Western blotting (immunobloting) when non-specific binding is an issue.

This peptide is recommended to block anti-CCDC99 Antibody (Catalog no. 4074882) reactivity

Directions for Use: Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours

Catalog No.	5074882
Size	1mg
Product Category	Blocking Peptide
Gene Symbol	CCDC99
UniProt ID	Q96EA4
Purity	>85%
Synonyms	CCDC99; Protein Spindly; hSpindly; Arsenite-related gene 1 protein; Coiled-coil domain-containing protein 99; Rhabdomyosarcoma antigen MU-RMS-40.4A; Spindle apparatus coiled-coil domain-containing protein 1
Storage/Stability	-20°C/1 year

|--|

www.realgenelabs.com

For Research Use only