

## MINA53 blocking peptide

---

Blocking peptide binds specifically to the target antibody and block undesirable antibody binding. This occurs because the peptide resembles the epitope for which the antibody is specific, therefore, the antibody binds to the blocking peptide are no longer able to bind to the epitope in the protein.

Pre-adsorption with blocking peptide greatly improves the results and it is extremely useful in immunohistochemistry (IHC) or in Western blotting (immunoblotting) when non-specific binding is an issue.

This peptide is recommended to block anti-MINA53 Antibody (Catalog no. 4073086) reactivity

Directions for Use: Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours

Catalog No.	5073086
Size	1mg
Product Category	Blocking Peptide
Gene Symbol	MINA
UniProt ID	Q8IUF8
Purity	>85%
Synonyms	MDIG; MINA53; NO52; Bifunctional lysine-specific demethylase and histidyl-hydroxylase MINA; 60S ribosomal protein L27a histidine hydroxylase; Histone lysine demethylase MINA; MYC-induced nuclear antigen; Mineral dust-induced gene protein; Nucleolar protein 52; Ribosomal oxygenase MINA; ROX

Storage/Stability	-20°C/1 year
Shipping	Gel Packs

[www.realgenelabs.com](http://www.realgenelabs.com)

For Research Use only