

## PKC iota/zeta (pT412/410) blocking peptide

Blocking peptide binds specifically to the target antibody and block undesirable antibody binding. This occurs because the peptide resembles the epitope for which the antibody is specific, therefore, the antibody binds to the blocking peptide are no longer able to bind to the epitope in the protein.

Pre-adsorption with blocking peptide greatly improves the results and it is extremely useful in immunohistochemistry (IHC) or in Western blotting (immunobloting) when non-specific binding is an issue.

This peptide is recommended to block anti-PKC iota/zeta (pT412/410) Antibody (Catalog no. 4074495) reactivity

Directions for Use: Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours

Catalog No.	5174495	
Size	1mg	
Product Category	Blocking Peptide	
Gene Symbol	PRKCI; PRKCZ	
UniProt ID	P41743; Q05513	
Purity	>85%	
Synonyms	DXS1179E; Protein kinase C iota type; Atypical protein kinase C-lambda/iota; PRKC-lambda/iota; aPKC-lambda/iota; nPKC-iota; PKC2; Protein kinase C zeta type; nPKC-zeta	
Storage/Stability	-20°C/1 year	

	Gel Packs	Shipping
--	-----------	----------

www.realgenelabs.com

For Research Use only