

## POLR2K blocking peptide

---

Blocking peptide binds specifically to the target antibody and block undesirable antibody binding. This occurs because the peptide resembles the epitope for which the antibody is specific, therefore, the antibody binds to the blocking peptide are no longer able to bind to the epitope in the protein.

Pre-adsorption with blocking peptide greatly improves the results and it is extremely useful in immunohistochemistry (IHC) or in Western blotting (immunoblotting) when non-specific binding is an issue.

This peptide is recommended to block anti-POLR2K Antibody (Catalog no. 4072999) reactivity

Directions for Use: Blocking Peptide to the diluted primary antibody in a molar ratio of 10:1 (peptide to antibody) and incubate the mixture at 4°C for overnight or at room temperature for 2 hours

Catalog No.	5072999
Size	1mg
Product Category	Blocking Peptide
Gene Symbol	POLR2K
UniProt ID	P53803
Purity	>85%
Synonyms	DNA-directed RNA polymerases I, II, and III subunit RPABC4; RNA polymerases I, II, and III subunit ABC4; ABC10-alpha; DNA-directed RNA polymerase II subunit K; RNA polymerase II 7.0 kDa subunit; RPB7.0; RPB10alpha
Storage/Stability	-20°C/1 year

Shipping

Gel Packs

[www.realgenelabs.com](http://www.realgenelabs.com)

For Research Use only