

## Human 2-AG (2-Arachidonoylglycerol) ELISA kit

This kit applies competitive inhibition ELISA method for the quantitative detection of 2-AG (2-Arachidonoylglycerol) in human samples. The microtiter plate provided in this kit has been precoated with Human 2-AG protein. Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Human 2-AG. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm  $\pm$ 10nm. The concentration of Human 2-AG in the samples is then determined by comparing the OD of the samples to the standard curve.

Catalog No.	3018542
Size	96-Wells
Product Category	ELISA (Quantitative)
Reactivity	Human
Sample	Serum; Plasma; Other Biological Fluids
Assay Method	Competitive Inhibition ELISA
Assay Duration	2 hours
Sensitivity	1.41 ng/mL
Standard Curve Range	4.69-300 ng/mL
Storage/Stability	-20°C/1 year; 4°C/6 months

www.realgenelabs.com

For Research Use only