

Porcine SDF1 (Stromal Cell Derived Factor 1) ELISA kit

This kit applies sandwich ELISA method for the quantitative detection of SDF1 (Stromal Cell Derived Factor 1) in porcine samples. The microtiter plate provided in this kit has been precoated with an antibody specific to Pig SDF1. Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Pig SDF1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Pig SDF1, biotinconjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzymesubstrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ±10nm. The concentration of Pig SDF1 in the samples is then determined by comparing the OD of the samples to the standard curve.

| Catalog No. | 3217226 |
|----------------------|--|
| Size | 96-Wells |
| Product Category | ELISA (Quantitative) |
| Reactivity | Porcine |
| Sample | Serum; Plasma; Tissue Homogenates; Cell Lysates; Cell Culture Supernates; Other Biological Fluids |
| Assay Method | Sandwich ELISA |
| Assay Duration | 3.5 hours |
| Sensitivity | 0.059 ng/mL |
| Standard Curve Range | 0.16-10 ng/mL |
| Storage/Stability | -20°C/1 year; 4°C/6 months |